

**ANTI DRIPPING
FELT
DEWEB®NTS**


**FOR METAL
ROOFING**

PROJI S.A.


tel : +353 (0)1 4845199
e-mail : info@nordroofs.ie

ANTI DRIPPING FELT DEWEB®NTS


Applied on inner side of metal roofing of non insulated buildings, Deweb®NTS, self-adhesive thin polyester felt light gray colour, captures condensation that appears under the metal roof during transitions of temperatures and during the activity inside the building.



WITHOUT DEWEB®NTS



WITH DEWEB®NTS



ANTI DRIPPING FELT DEWEB®NTS



Designed for metal buildings with uninsulated roofs such as :


Farm buildings : warehouses for dry products and machinery, stables...

Industrial sheds, uninsulated workshops.

Shed, garages, storage depots...


ITS ADVANTAGES :

- Absorbs condensation and prevents the fall of water dro ps. No damage to materials stored below.
- Evacuates the water overflow outside downslope, strong drainage.
- Prevents water upwelling from the lower slope or junction roof in case of rain or snow.
- Lasting protection against corrosion on inner side of the roofing sheets.
- Removes the use of stretched absorbent sheet or other additional material with absorbing goal.
- Offers a time saving construction for anti-condensation system.
- Meets the fire regulations.
- Cheap.




DEWEB®NTS is delivered to roll forming plants profiling, in rolls ready to be applied on flat steel sheets by scrolling before forming sheets.

Deweb®NTS felt is applied on steel sheet with a suitable unwinder machine which rewind the plastic protector.



ANTI DRIPPING FELT DEWEB®NTS



Comparison between solutions: Deweb®NTS / Type «Stretched canvas»

DRAWBACKS



Anti dripping solutions « Stretched canvas »

- ↪ No external exhaust, if strong condensation dripping possible.
- ↪ Does not protect inner side of the roof from corrosion by condensation.
- ↪ Time and cost of installation of cableways and canvas.
- ↪ Bacterial growth and possible blackening effect due to water stagnation.
- ↪ Easier combustion of canvas due to dust accumulation effect.

Deweb®NTS

Use of drainage strip for wooden structures.

ADVANTAGES



Deweb®NTS

- ↪ Metal roof protected from corrosion by the inside.
- ↪ Removal of water by evaporation and evacuation of overflow water outwardly.
- ↪ Saving time for carpenters.
- ↪ Lightweight acoustical effect by limiting the resonance.
- ↪ Euroclass fire classification B.
- ↪ Positioning correct price compared to canvas + cables + installation.

Anti dripping solutions « Stretched canvas »

Cheap canvas.

Removal of water by evaporation.

